

## Visualizing protonation states in serine hydroxymethyltransferase with neutron crystallography

Serine hydroxymethyltransferase (SHMT) is a pyridoxal-5'-phosphate (PLP) dependent enzyme that catalyzes the tetrahydrofolate (THF)-dependent cleavage of L-Ser to form glycine and 5,10-methylene-THF. This reaction is significant for its role in the biosynthesis of thymidine and purines, as well as the methyl group of methionine by providing single carbon units to one-carbon metabolism. Human mitochondrial SHMT (hSHMT2) is overexpressed in a multitude of cancers and is acknowledged as a significant target for anti-cancer therapeutics. Here, we present a 2.3 Å joint X-ray/neutron (XN) structure of the homodimeric SHMT from *Thermus thermophilus* (*Tth*SHMT), whose active site is conserved compared to that of hSHMT2, in the open conformation depicting the PLP cofactor covalently bound to the catalytic lysine in the internal aldimine state and a sulfate ion occupying the substrate binding site. In addition, a second joint XN structure obtained by soaking a *Tth*SHMT crystal with L-Ser revealed the substrate bound at the entrance of the active site in a solvent-exposed shallow pocket in a pre-Michaelis complex while the sulfate anion continues to block the active site. We further tracked the substrate through the active site by obtaining an X-ray structure of a pseudo-Michaelis complex by soaking a *Tth*SHMT crystal with D-Ser, a non-reactive substrate enantiomer. Nuclear density maps revealed the positions of hydrogen atoms and provided the ability to accurately assign the protonation states for the amino acid residues, L-Ser substrate, and the PLP cofactor. By direct observation of the locations of hydrogen atoms and tracking substrate positions, our study provides unique atomic-level understanding of the SHMT active site that sheds new light on the enzyme's catalytic mechanism and can be employed to advance the design of anticancer drugs targeting hSHMT2.

**Primary authors:** DRAGO, Victoria, N. (Neutron Scattering Division, Oak Ridge National Laboratory); CAMPOS, Claudia (Department of Natural Sciences, University of Tennessee Wesleyan); COLLINS, Aliyah (Department of Natural Sciences, University of Tennessee Wesleyan); HOOPER, Mattea (Department of Natural Sciences, University of Tennessee Wesleyan); GERLITS, Oksana (Department of Natural Sciences, University of Tennessee Wesleyan); WEISS, Kevin, L. (Neutron Scattering Division, Oak Ridge National Laboratory); BLAKELEY, Matthew, P. (Large Scale Structures Group, Institut Laue-Langevin); PHILLIPS, Robert, S. (Department of Chemistry; Department of Biochemistry and Molecular Biology, University of Georgia); KOVALEVSKY, Andrey (Neutron Scattering Division, Oak Ridge National Laboratory)

**Presenter:** DRAGO, Victoria, N. (Neutron Scattering Division, Oak Ridge National Laboratory)